

1. A blood processing system comprising
a first container to receive blood for centrifugal processing into a first component and a second component comprising plasma,
a second container to receive the second component from the first container, and
a filter to remove cellular species from the second component.

wherein the first component comprises red blood cells.

further including a filter to remove leukocytes from the first component in a downstream flow direction from the first container.

further including a filter to remove leukocytes from blood in an upstream flow direction from the first container.

further including a transfer container to receive the first component from the first container.

further including a filter located between the first container and the transfer container to remove leukocytes from the first component.

7. A blood processing system according to claim 1

wherein the filter to remove cellular species from the second component is located in an upstream flow direction from the second container.

8. A blood processing system according to claim 1

wherein the filter to remove cellular species from the second component is located between the first container and the second container.

9. A blood processing system according to claim 1

wherein the filter to remove cellular species from the second component is located in a downstream flow direction from the second container.

10. A blood processing system according to claim 1

further including a transfer container communicating with the second container in a downstream flow direction from the second container.

11. A blood processing system according to claim 10

wherein the filter to remove cellular species from the second component is located between the second container and the transfer container.

12. A blood processing system according to claim 1

further including an auxiliary container holding an additive solution.

13. A blood processing system according to claim 12

wherein the auxiliary container communicates

10/2/2011 10:22:11 AM

with the first container.

14. A blood processing system according to claim 12

wherein the auxiliary container communicates with the second container.

15. A blood processing system according to claim 14

wherein the filter to remove cellular species from the second component is located between the second container and the auxiliary container.

16. A blood processing system according to claim 12

wherein the auxiliary container communicates with both the first and second containers.

17. A blood processing system according to claim 16

wherein the filter to remove cellular species from the second component is located between the second container and the auxiliary container.

18. A blood processing method comprising processing whole blood using a system as defined in claim 1.

CONFIDENTIAL